



AUDIO RESEARCH

THE SC-SERIES



SC-05 ART. 09180

SMALL CUBE WITH 5" COAXIAL SPEAKER.

- PASSIVE 2WAY CROSSOVER
- 5" LF-FERRITE SPEAKER + 1.75" DRIVER (0.75" VOICE COIL)
- 4POLE SPEAKONS IN/OUT + 4POLE EUROBLOCK CONNECTOR
- SWITCH TO CHOOSE ± 1 OR ± 2
- MAX SPL: 119dB
- MOUNTING :
 - USING AN OPTIONAL OMEGA CLAMP
 - CAN BE MOUNTED ON AN OPTIONAL MICROPHONE STAND
 - USING INCLUDED U-BRACKET
- BANDWIDTH: 120 - 21.000HZ (-3DB)
- NOMINAL DIRECTIVITY: 70° CONICAL
- POWER: 250Waes (RECOMMENDED AMPLIFIER: 500WRMS)
- IMPEDANCE: 16 Ω
- DIMENSIONS: 165X165X165M
- WEIGHT: 4KG



SC-08 ART. 09181

COMPACT BUT POWERFUL 8" COAXIAL SPEAKER CABINET

- PASSIVE 2WAY CROSSOVER
- 8" LF-NEODYMIUM SPEAKER + 1.45" DRIVER (1" VOICE COIL)
- SPEAKONS: IN + OUT
- SWITCH TO CHOOSE ± 1 OR ± 2
- MAX SPL: 123dB
- MOUNTING:
 - USING AN OPTIONAL OMEGA CLAMP
- BANDWIDTH: 70 - 20.000HZ (-3DB)
- NOMINAL DIRECTIVITY: 90° CONICAL
- POWER: 300Waes (RECOMMENDED AMPLIFIER: 600WRMS)
- IMPEDANCE: 8 Ω
- DIMENSIONS: 254X420X250MM
- WEIGHT: 8KG



SC-12 ART. 09182

COMPACT BUT POWERFUL 12" COAXIAL SPEAKER CABINET

- PASSIVE 2WAY CROSSOVER
- 12" LF-NEODYMIUM SPEAKER + 1.75" DRIVER (1" VOICE COIL)
- 3 SPEAKONS: 2 ON LEFT SIDE + 1 ON RIGHT SIDE
- SWITCH TO CHOOSE ± 1 OR ± 2
- MAX SPL: 128dB
- BANDWIDTH: 60 - 20.000HZ (-3DB)
- NOMINAL DIRECTIVITY: 60° X 40°
- POWER: 400Waes (RECOMMENDED AMPLIFIER: 800WRMS)
- IMPEDANCE: 8 Ω
- DIMENSIONS: 351X540X410MM
- WEIGHT: 16KG



SC-15 ART. 09183

POWERFUL 15" COAXIAL SPEAKER CABINET

- PASSIVE 2WAY CROSSOVER
- 15" LF-NEODYMIUM SPEAKER + 1.75" DRIVER (1" VOICE COIL)
- 3 SPEAKONS: 2 ON LEFT SIDE + 1 ON RIGHT SIDE
- SWITCH TO CHOOSE ± 1 OR ± 2
- MAX SPL: 128dB
- BANDWIDTH: 54 - 19.000HZ (-3DB)
- NOMINAL DIRECTIVITY: 60° X 40°
- POWER: 400Waes (RECOMMENDED AMPLIFIER: 800WRMS)
- IMPEDANCE: 8 Ω
- DIMENSIONS: 368X580X447MM
- WEIGHT: 19KG



CASE FOR 8X SC-05 ART.03259



- PREMIUM QUALITY FLIGHT CASE "MADE IN EUROPE"
- INGENIOUS DESIGN FOR SAFE TRANSPORT OF:
 - 8PCS SC-05 CABINETS
 - 8PCS FAST CLAMPS
- STRONG PLYWOOD WITH SCRATCH FREE "HEXA" SURFACE
- INSIDE WITH SPECIALLY ADAPTED PROTECTION FOAM
- EQUIPPED WITH SEVERAL RECESSED FLIP HANDLES ON ALL SIDES
- 4 SOFT RUBBER CASTORS, 2 WITH BRAKES
- STANDARD "TRUCK SIZE": 80 x 60CM (H: 28CM / 42CM INCL CASTORS)
- WEIGHT: 25KG



CASE FOR 4X SC-08 ART.03260



- PREMIUM QUALITY FLIGHT CASE "MADE IN EUROPE"
- INGENIOUS DESIGN FOR SAFE TRANSPORT OF:
 - 4PCS SC-08 CABINETS
 - 4PCS FOLDABLE U-BRACKETS
 - 4PCS FAST CLAMPS
- STRONG PLYWOOD WITH SCRATCH FREE "HEXA" SURFACE
- INSIDE WITH SPECIALLY ADAPTED PROTECTION FOAM
- EQUIPPED WITH SEVERAL RECESSED FLIP HANDLES ON ALL SIDES
- 4 SOFT RUBBER CASTORS, 2 WITH BRAKES
- STANDARD "TRUCK SIZE": 80 x 60CM (H: 66CM / 80CM INCL CASTORS)
- WEIGHT: 41KG



CASE FOR 2X SC-12 ART.03261



- PREMIUM QUALITY FLIGHT CASE "MADE IN EUROPE"
- INGENIOUS DESIGN FOR SAFE TRANSPORT OF:
 - 2PCS SC-12 CABINETS
 - 2PCS FOLDABLE U-BRACKETS
- STRONG PLYWOOD WITH SCRATCH FREE "HEXA" SURFACE
- INSIDE WITH SPECIALLY ADAPTED PROTECTION FOAM
- EQUIPPED WITH SEVERAL RECESSED FLIP HANDLES ON ALL SIDES
- 4 SOFT RUBBER CASTORS, 2 WITH BRAKES
- STANDARD "TRUCK SIZE": 80 x 60CM (H: 66CM / 80CM INCL CASTORS)
- WEIGHT: 32KG



CASE FOR 2X SC-15 ART.03262




- PREMIUM QUALITY FLIGHT CASE "MADE IN EUROPE"
- INGENIOUS DESIGN FOR SAFE TRANSPORT OF:
 - 2PCS SC-15 CABINETS
 - 2PCS FOLDABLE U-BRACKETS
- STRONG PLYWOOD WITH SCRATCH FREE "HEXA" SURFACE
- INSIDE WITH SPECIALLY ADAPTED PROTECTION FOAM
- EQUIPPED WITH SEVERAL RECESSED FLIP HANDLES ON ALL SIDES
- 4 SOFT RUBBER CASTORS, 2 WITH BRAKES
- STANDARD "TRUCK SIZE": 80 x 60CM (H: 66CM / 80CM INCL CASTORS)
- WEIGHT: 31KG



BRACKET FOR SC-08 ART.09184

- HEAVY DUTY U-BRACKET
- THE FOLDABLE DESIGN MAKES IT COMPACT FOR TRANSPORT
- MAKES IT POSSIBLE TO CHANGE THE SPEAKER CABINET IN DIFFERENT ANGLES
- INDEXING PLUNGER LOCKS



BRACKET FOR SC-12 ART.09185

- HEAVY DUTY U-BRACKET
- THE FOLDABLE DESIGN MAKES IT COMPACT FOR TRANSPORT
- MAKES IT POSSIBLE TO CHANGE THE SPEAKER CABINET IN DIFFERENT ANGLES
- INDEXING PLUNGER LOCKS



BRACKET FOR SC-15 ART.09186

- HEAVY DUTY U-BRACKET
- THE FOLDABLE DESIGN MAKES IT COMPACT FOR TRANSPORT
- MAKES IT POSSIBLE TO CHANGE THE SPEAKER CABINET IN DIFFERENT ANGLES
- INDEXING PLUNGER LOCKS

TO BE SURE THAT YOU HAVE THE BEST AUDIO EXPERIENCE AND SPEAKER PROTECTION, WE PROVIDE FULLY OPTIMIZED SETTINGS FOR OUR NEW SPEAKERS. THE DBX DRIVERACK® PA2 AND VENU360 PROCESSORS WERE SELECTED TO OPTIMIZE AND PROTECT OUR NEW SC-SERIES IN COMBINATION WITH OUR EXISTING LINE OF DIGIT AMPLIFIER SERIES.

DBX DRIVERACK PA2



- COMPLETE LOUDSPEAKER MANAGEMENT SYSTEM
- 2 INPUTS: 8-BAND PARAMETRIC, DBX COMPRESSORS, AFS ANTI-FEEDBACK, SUBHARMONIC SYNTH, ...
- 6 OUTPUTS: 2WAY / 3WAY X-OVER, 8-BAND PARAMETRIC EQS, LIMITERS, ALIGNMENT DELAYS
- RTA-MIC INPUT WITH AUTOEQ ALGORITHM FOR AUTOMATIC ROOM EQUALIZING
- ETHERNET CONTROL VIA AN ANDROID®, IOS®, MAC®, OR WINDOWS® SOFTWARE APPS
- EXCELLENT AUDIO PERFORMANCE

DBX DRIVERACK VENU360



- COMPLETE LOUDSPEAKER MANAGEMENT SYSTEM
- 3 ANALOG INPUTS OR 2 DIGITAL AES INPUTS: 12-BAND PARAMETRIC EQ, 31BAND GRAPH EQ, DBX COMPRESSORS, AFS ANTI-FEEDBACK, SUBHARMONIC SYNTH, NOISE GATE, ...
- 6 OUTPUTS: DIFFERENT X-OVERS, 8-BAND PARAMETRIC EQS, LIMITERS, ALIGNMENT + TOWER DELAYS, NOISE GATE, AGC, ...
- RTA-MIC INPUT WITH AUTOEQ ALGORITHM FOR AUTOMATIC ROOM EQUALIZING
- ETHERNET CONTROL VIA AN ANDROID®, IOS®, MAC®, OR WINDOWS® SOFTWARE APPS
- EXCELLENT AUDIO PERFORMANCE

DIGIT AMPLIFIERS



DIGIT 1K0 ART. 00268

- THE EXTREMELY HIGH EFFICIENCY, REDUCED POWER WASTE AND VERY LOW HEAT DISSIPATION ARE THE MAIN ADVANTAGES OF THESE PWM-AMPLIFIERS!
- HIGH POWER OUTPUT: 2x 540WRMS @ 4Ω
- OUTPUT IN BRIDGE MODE: 1080WRMS @ 8Ω
- LOW WEIGHT: 3,3KG!



DIGIT 2K2 ART. 00266

- THE EXTREMELY HIGH EFFICIENCY, REDUCED POWER WASTE AND VERY LOW HEAT DISSIPATION ARE THE MAIN ADVANTAGES OF THESE PWM-AMPLIFIERS!
- HIGH POWER OUTPUT: 2x 1100WRMS @ 4Ω
- OUTPUT IN BRIDGE MODE: 2200WRMS @ 8Ω
- LOW WEIGHT: 5,5KG!



DIGIT 3K6 ART. 00267

- THE EXTREMELY HIGH EFFICIENCY, REDUCED POWER WASTE AND VERY LOW HEAT DISSIPATION ARE THE MAIN ADVANTAGES OF THESE PWM-AMPLIFIERS!
- HIGH POWER OUTPUT: 2x 1800WRMS @ 4Ω
- OUTPUT IN BRIDGE MODE: 3600WRMS @ 8Ω
- LOW WEIGHT: 5,6KG!

YOUR DEALER



WWW.SYNQ-AUDIO.COM

BEGLEC NV HAS THE RIGHT TO CHANGE PRODUCTS AND SPECIFICATIONS WITH AND WITHOUT NOTICE. MAJOR AS WELL AS MINOR CHANGES CAN BE INVOLVED. THIS CATALOG CAN CONTAIN ERRORS, THEREFORE WE ADVISE TO CONSULT YOUR LOCAL DEALER TO ENSURE THAT ACTUAL FEATURES AND SPECIFICATIONS MATCH YOUR REQUIREMENTS.

COPYRIGHT © 2016 BY BEGLEC NV. ALL RIGHTS RESERVED.